



0



1995). Igf2 (2003). Igf2 (2003). Igf2 (2001); Igf2 (2000; Igf2 (2001); Igf2 (2001). Igf2 (2003). Igf2 (2000). Igf2 (2003).

Igf2-H19



1. filled black boxes. (Top)
2. unfilled circles. (Bottom)
3. curly arrow.
4. filled boxes. (Middle)
5. white box
6. Kcnq1ot1
7. (Top)
8. C1, C2
9. C1, C2
10. C1, C2

(2003; 2004).
 1 Igf2 (6)
 H19 1 2
 H19 (2003)
 H19 Igf2 1 0 0
 H19 Igf2 1 2 (2) (0)
 2003).

(30), 1999).

2000) *Journal of Clinical Endocrinology* 142: 2000-2006.

የኢትዮጵያ (2002) የኢትዮጵያውያንድ ስራውያንድ አገልግሎት ተስተካክል

—
—
—
—
—

1.000 0.000 0.000 0.000

000 (1-17). 2002).

וְיַעֲשֵׂה יְהוָה כָּל־אֲשֶׁר־יֹאמְרָה לְךָ בְּנֵי־יִשְׂרָאֵל וְיַעֲשֵׂה יְהוָה כָּל־אֲשֶׁר־יֹאמְרָה לְךָ בְּנֵי־יִשְׂרָאֵל

לְבָנָן וְלִבְנָה (בְּנֵי נְהַרְיָה, 2003).

לְבָנָה (בְּנֵי יִשְׂרָאֵל) וְלַעֲמֹד (בְּנֵי עֲמֹד),

49 111 001231 * 6 1194

00 3C
(C)

Journal of the Royal Statistical Society, Series B (2002).

Igf2-H19


•2, *Kcnqlot1*


2000). In the same year, the *cis*- H_2O_2 concentration was 0.002–0.006 ppm (Korshunova et al., 2003). The concentration of NO_2 in the atmosphere was 2–2.2 ppb (Korshunova et al., 2000). The concentration of SO_2 was 0.002–0.006 ppm (Korshunova et al., 1997). The concentration of NO_x in the atmosphere was 0.004–0.01 ppb (Korshunova et al., 2000). In 2001, the NO_2 concentration was 0.002–0.006 ppm (Korshunova et al., 2003).

The concentration of NO_2 in the atmosphere was 0.002–0.006 ppm (Korshunova et al., 2003).

1991. *Nature* **351**, 84.
1992. *Semin. Dev. Biol.* **3**, 107.
1991. *Nature* **351**, 153.
2000. *Nature* **405**, 482.
2001. *Science* **292**, 2536.
1993. *EMBO J.* **12**, 3669.
1999. *Genes Dev.* **13**, 2465.
2002. *Nat. Genet.* **29**, 623.
1998. *Science* **280**, 2067.
2003. *Cell* **112**, 403.
2000. *Nat. Genet.* **25**, 19.
2002. *Development* **129**, 1657.
1991. *Cell* **67**, 849.
2002. *Science* **295**, 1306.
2004. *Curr. Opin. Genet. Dev.* **14**, 188.
2001. *EMBO J.* **20**, 3518.
2000. *Hum. Mol. Genet.* **9**, 2691.
1995. *Dev. Genet.* **17**, 240.
2001. *Science* **292**, 1086.
2002. *Nat. Genet.* **32**, 426.
1997. *Proc. Natl. Acad. Sci. USA* **94**, 10243.
2002. *EMBO J.* **21**, 6560.
1989. *Am. Nat.* **133**, 147.
2000. *EMBO J.* **19**, 12.
1991. *Nature* **351**, 486.
2002. *Development* **129**, 1983.
2000. *Hum. Mol. Genet.* **9**, 2075.
2003. *Nature* **421**, 857.
2002. *Hum. Mol. Genet.* **11**, 1627.
2001. *Hum. Mol. Genet.* **10**, 1601.
2001. *Mol. Cell. Biol.* **21**, 8189.
2002. *J. Biol. Chem.* **277**, 18106.
2000. *Curr. Biol.* **10**, 853.

2001. *EMBO Rep.* 2, 1101.
1998. *Trends Genet.* 14, 194.
2004. *Science* 304, 644.
2003. *Nat. Genet.* 35, 190.
2003. *Genes Dev.* 17, 586.
2004. *Genes Dev.* 18, 1495.
2001. *Nat. Rev. Genet.* 2, 21.
2003. *Eur. J. Biochem.* 270(353), 0.8.





Chromosome Loops, Insulators, and Histone Methylation: New Insights into Regulation of Imprinting in Clusters

W. REIK, A. MURRELL, A. LEWIS, et al.

Cold Spring Harb Symp Quant Biol 2004 69: 29-38
Access the most recent version at doi:[10.1101/sqb.2004.69.29](https://doi.org/10.1101/sqb.2004.69.29)

References

This article cites 70 articles, 30 of which can be accessed free at:

<http://symposium.cshlp.org/content/69/29.refs.html>

Article cited in:

<http://symposium.cshlp.org/content/69/29#related-urls>

Email alerting service

Receive free email alerts when new articles cite this article - sign up in the box at the top right corner of the article or [click here](#)

To subscribe to *Cold Spring Harbor Symposia on Quantitative Biology* go to:
<http://symposium.cshlp.org/subscriptions>
